


Lunch Creek 101-90-68 8-21-73 Joyner, Johnson 101-90-10080



| | 101-40-10680 | | |
|--|---|--|--|
| Name LINES GREEK Latitude. 55 30 45 43 | Former Stream Roi | | |
| Longitude: 131 43 25 | Work Area: Ketchikan | | |
| Geodetic Map No: Ketchikan C-6 | Watershed Length: 4,5 Miles | | |
| Location: E. shore Clover Pass. Terminus of North Tongass Highway. | Drainage Area: Water Supply Type: Runoff, several small | | |
| 01 101611 101801 | | | |
| Trails & Survey Routes: Improved trail easily walked to barrier falls. | lakes in upper drainage. 1 to stream from adjoining campground, Stream | | |
| | dal only. | | |
| Anchorage | | | |
| Tide Stage when Surveyed: | | | |
| RESOUR | CES | | |
| Spawning area 98 m ² (200'x35'x15% ASA) | | | |
| Schooling Areas: Small pools/falls in | tertidally. | | |
| Spawning Areas: | | | |
| SHELLIFISH POTENTIAL: Geoducks, c | rabs on delta | | |
| Product control of the proof of the state of | es have cutthroat populations. Stream below | | |
| LAND USE (history, present, propose the north of the stream. Recreational ca | ed): Road entrance a short distance to mping, swimming on nearby beach. Observation | | |
| REHABILITATION POTENTIAL: Laddering | g falls possible but expensive. | | |
| Shills - Generally stable with much bedi | rock in streambed. Heavy human traffic on the | | |
| | itat): | | |
| | | | |
| | | | |

PEAK ESCAPEMENT RECORD

Ianch Creek

| 101-90-68 | | | | |
|-----------|------|------|---------------|--------------------------------|
| DATE | PINK | СНИМ | OTHER SPECIES | REMARKS |
| 32365 | | | | 850 pinks @ mouth. Vis. good. |
| 81966 | | | | 6-7000 @ mouth. Visibility ex. |
| 8-21 87 | | | | Fair visibility. |
| 81375 | | | | 3000 @ mouth & I.T. Vis. ex. |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | , |
| | | | - 457 - | |